

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	107	(determin\$4 or compar\$4) with signal with (transmission adj2 line) and (replica)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 09:46
L2	20	(determin\$4 or compar\$4) with signal with (transmission adj2 line) with (replica)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 09:41
L3	296	(determin\$4 or compar\$4) with signal with (transmission adj2 line) and (replica copy duplicate clone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 09:46
L4	31	(determin\$4 or compar\$4) with signal with (transmission adj2 line) with (replica copy duplicate clone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 09:48
L5	9	(determin\$4 or compar\$4) with signal with (transmission adj2 line) with (replica copy duplicate clone) and parallel adj3 bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 09:47
L6	6035	(subtract\$4 differen\$4 compar\$4) with (transmit\$4 adj4 signal) with (receiv\$4 adj4 signal) with (compar\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 09:50
L7	1054	(subtract\$4 differen\$4) with (transmit\$4 adj4 signal) with (receiv\$4 adj4 signal) with (compar\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 09:51
L8	586	(subtract\$4 differen\$4) with (transmit\$4 adj2 signal) with (receiv\$4 adj2 signal) with (compar\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 09:51
L9	0	(subtract\$4 differen\$4) with (transmit\$4 adj2 signal) with (receiv\$4 adj2 signal) with (compar\$4) and parallel adj2 bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 09:52

L10	183	(subtract\$4 differen\$4) with (transmit\$4 adj2 signal) with (receiv\$4 adj2 signal) with (compar\$4) and parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 10:50
L11	58	(subtract\$4 differen\$4) with (transmit\$4 adj2 signal) with (receiv\$4 adj2 signal) with (comparator) and parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 10:51
L12	145	(subtract\$4 differen\$4) with (transmit\$4 adj2 signal) with (receiv\$4 adj2 signal) with (comparator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 11:08
L14	0	(subtract\$4 differen\$4) with (transmit\$4 adj2 signal) with (receiv\$4 adj2 signal) with (comparator with (adjustable or variable) with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 11:10
L15	0	(subtract\$4 differen\$4) with (transmit\$4 adj2 signal) with (receiv\$4 adj2 signal) with (comparator with (adjust\$4 or variable) with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 11:10
L16	2	(subtract\$4 differen\$4) with (transmit\$4 adj2 signal) with (receiv\$4 adj2 signal) with (comparator) and (comparator with (adjustable or variable) with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 11:12
L17	13	(subtract\$4) with (transmit\$4 adj2 signal) with (receiv\$4 adj2 signal) with (comparator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 12:43
L18	2	"5715274".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 12:43
L25	2465	casper.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 13:42

L26	93	casper.in. and intel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 13:43
L27	0	casper-bryan.in. and intel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 13:42
S1	171	(driv\$4 with plural\$4 with data with (transmission adj2 line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 09:32
S2	432	(driv\$4 with plural\$4 with (data or signal or symbol) with (transmission adj2 line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 09:32
S3	4	(driv\$4 with plural\$4 with (data or signal or symbol) with (transmission adj2 line) with ((another or differe\$4 or second) adj2 node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 09:38
S4	4	(driv\$4 with plural\$4 with (data or signal or symbol) with (transmission) with ((another or differe\$4 or second) adj2 node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 09:39
S5	2	(driv\$4 with plural\$4 with (data or signal or symbol) with (transmi\$4) with ((another or differe\$4 or second) adj2 node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:20
S9	1	(first adj2 driver) and ((second adj2 driver) with replic\$4) and (subtract\$4 with transmission adj2 line with second) and comparator and control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 09:46
S10	4	(first adj2 driver) and ((second adj2 driver) with replic\$4) and comparator and control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 09:49

S11	10	(first adj2 driver) and ((second adj2 driver) with replic\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 09:50
S12	7743	(first adj2 driver) and (second adj2 driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 10:17
S13	8	determin\$4 with (transmission adj2 signal) with replica	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 11:03
S14	841	(first adj2 driver with transmi\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 11:04
S16	4	(second adj driver with (replica and first adj driver))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 11:06
S17	5	(second adj driver with (replica and driver))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 11:06
S18	5	(second adj driver with (replica))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 15:06
S19	5823	(second adj driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 11:07
S20	4	(subtract\$4 same comara\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 11:08

S21	21	(subtract\$4 and comara\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 11:08
S22	22684	(subtract\$4 same compara\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 11:08
S23	7	(subtract\$4 same (compara\$5 with variable adj offset))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 11:09
S24	9	S14 and S22 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 12:30
S25	12	((("6614296") or ("6420932") or ("6617918") or ("6653893") or ("4,128,743")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 14:01
S26	2945	(differential adj transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:05
S27	4126	(first adj driver) and (second adj driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:02
S28	816557	(determin\$4 or calculat\$4 or compar\$4) with differen\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 16:04
S29	91	(variable adj offset same comparator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:05

S30	345	(complement\$4 adj transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:05
S31	10	(S26 or S30) and S27 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:52
S32	16	(S26 or S30) and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:52
S33	19	(determin\$4 or calculat\$4 or compar\$4) with differen\$4 with ((first and second) adj transmission adj line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:58
S34	23182	(determin\$4 or calculat\$4 or compar\$4 or subtract\$4 or add) with (comparator and transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 16:06
S35	23	(determin\$4 or calculat\$4 or compar\$4 or subtract\$4 or add) with (comparator and transmission) with (variable adj (offset or reference))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 16:10
S36	353	(driver with replica)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:20
S37	298809	(bidirectional TDD (time division duplex)) with transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:25
S38	27133	S37 and subtract\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:25

S39	4000	S37 same subtract\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:25
S40	217	S37 same (subtract\$4 and comparator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:26
S41	1	S37 same (subtract\$4 and comparator) and (variable adj2 offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:23
S42	11804	(bidirectional TDD (time adj2 division adj2 duplex)) with transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:25
S43	1148	S42 and subtract\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:25
S44	77	S42 same subtract\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:25
S45	3	S42 same (subtract\$4 and comparator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:43
S46	338	S42 and (subtract\$4 and comparator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:44
S47	14	S42 and (subtract\$4 and comparator) and (variable adj2 offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 15:41

S48	2	"5793223".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:28
S49	6	((("5793223") or ("6127849") or ("6496058")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 16:36
S50	39902	controller with (mismatch\$4 difference\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:38
S51	1134	(S50 and ("375"/\$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:39
S52	21	(S50 same binary and ("375"/\$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:42
S53	18	(S50 same (binary digital) same offset and ("375"/\$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 12:51
S54	4	(S50 same (binary digital) same offset same comparator and ("375"/\$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:47
S55	16	(variable with offset with comparator) same (controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 17:11
S56	2	(variable with offset with comparator) same (controller and binary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 17:11

S57	13	binary with comparator with offset with variable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 12:52
S58	28	binary with comparator same offset same variable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 13:58
S59	2350307	variable offset comparator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 13:59
S62	46	variable adj offset adj comparator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:00
S63	46	(variable multiple plural plural) adj offset adj comparator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:00
S64	13	(printed adj2 board) with (parallel adj bus) with ((integrated adj circuit) ic) with ((logic adj (function circuit)) (memory adj controller) (microprocessor) (dsp) (digital adj signal adj procesor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:31
S65	13	(printed adj2 board) with (parallel adj bus) with ((integrated adj circuit) ic) same ((logic adj (function circuit)) (memory adj controller) (microprocessor) (dsp) (digital adj signal adj procesor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 15:35
S66	20	(printed adj2 board) with (parallel adj bus) same ((integrated adj circuit) ic) same ((logic adj (function circuit)) (memory adj controller) (microprocessor) (dsp) (digital adj signal adj procesor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:32
S67	24	(printed adj2 board) same (parallel adj bus) same ((integrated adj circuit) ic) same ((logic adj (function circuit)) (memory adj controller) (microprocessor) (dsp) (digital adj signal adj procesor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:41

S68	10	US-6388521-\$.DID. OR US-6348882-\$.DID. OR US-5563598-\$.DID. OR US-4987327-\$. DID. OR US-4754169-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:41
S69	23	(first adj2 driver) and (second adj2 driver) and (replica with driver) and comparator and control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 15:19
S70	1136	(first adj2 driver) and (second adj2 driver) and comparator and control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 15:20
S71	938	(first adj2 driver) same (second adj2 driver) and comparator and control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 15:20
S72	637	(first adj2 driver) same (second adj2 driver) and comparator same control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 15:20
S73	40	(first adj2 driver) and (second adj2 driver) and comparator and control\$4 and ("375"/\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 15:21
S74	2	"6621323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 15:35
S75	3	("5793223" "6127849" "6496058").PN. OR ("6621323").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/10 15:46
S76	3	("5793223" "6127849" "6496058").PN. OR ("6621323").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/12 13:23
S77	875	(bidirectional adj buffer)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/12 13:23
S78	163	(bidirectional adj buffer) and subtract\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/12 13:24
S79	0	(bidirectional adj2 trtansmi\$6) and subtract\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/12 13:24

S80	424	(bidirectional adj2 transmi\$6) and subtract\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/12 13:25
S81	2736	diversity and ("375"/\$\$.ccls. and (@ad<="20020109")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 13:29
S82	9	(bidirectional adj2 transmi\$6) and subtract\$4 and (variable with comparator)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/12 13:25
S83	5	diversity and ("375"/\$\$.ccls. and (@ad<="20020109") and (variable with comparator) and subtract\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 13:32
S84	14	diversity and (@ad<="20020109") and (variable with comparator) and subtract\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 13:56
S85	8155	(first adj2 driver) and (second adj2 driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 13:57
S86	10	(first adj2 driver) and (second adj2 driver with replica)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 13:56
S88	21	(first adj2 driver) and (second adj2 driver) and subtract\$4 and (comparator with variable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 13:57
S89	15	(first adj2 driver) and (second adj2 driver) and subtract\$4 and (comparator with variable) and (@ad<="20020109")and (@ad<="20020109")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 13:57
S90	15	(first adj2 driver) and (second adj2 driver) and subtract\$4 and (comparator with variable) and (@ad<="20020109")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 14:00

S91	4	(first adj2 driver) and (replica near3 driver). and subtract\$4 and (comparator with variable) and (@ad<="20020109")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 14:01
S92	6	(driver) and (replica near3 driver) and subtract\$4 and (comparator with variable) and (@ad<="20020109")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 14:02